

SRI GURU RAGHAVENDRA ENTERPRISES

Technical & Marketing Consultants

BIO-DERIVITE PRODUCTS

SEWCLEAN

MICROBIAL CONCENTRATE









Activated Sludge Process

Clears off blockages for FOG Contents, Fecal Matters, eliminates bad odour

Application: 100gm powder to be mixed in 1ltr of water & to be poured at night

at the clogged areas. (For Wash Basins, Drains & Grease Traps).

Liquify the sludge faster in grease trap

For STP usage consult the supplier
Stabilizes MLSS, Reduces BOD, COD in STP

Speeds up water processing in STP to conserve water

Contents: Total Plate Count (Aerobic 2X10°) Carbon Degrading, Lipolytic, Proteolytic,

Nitrogen Fixing, P-Solubalishing, Acidophilic, Methanogenic Organism

SEWCLEAN Turbo

MICROBIAL CONCENTRATE









Scientifically Proved Special Culture For Waste Treatment

Clears off blockages for FOG Contents, Fecal Matters, eliminates bad odour

Application: 100ml to be mixed in 1ltr of water & to be poured at night

at the clogged areas. (For Wash Basins, Drains & Gray Water collection tanks).

Liquify the sludge faster in Gray Water collection tanks

For STP usage consult the supplier Reduces MLSS, BOD, COD in STP

Speeds up water processing in STP to conserve water

Contents: Carbon Degrading, Lipolytic, Proteolytic, Nitrogen Fixing, P-Solubalishing, Acidophilic, Methanogenic Organism

SEWCLEAN PLUS

MICROBIAL CONCENTRATE









Activated Sludge Process

Digests FOG Contents, Fecal Matters, eliminates bad odour

APPLICATION: SEW CLEAN PLUS-WATER CLARIFIER consists of various bio-catalytical material to engulf and increase the density of dust particles and suspended material in water and waste water. Due to increase in density it settles down immediately and clears the water.

- It reduces phosphates.
- Removes BOD and COD of the waste water to significant level
- Works at neutral pH and will not affect the pH of water.
- Non effective to the surface material
- It is biodegradable compound & completely water soluble material
- . The material is non toxic and edible.
- Will not increase TDS of water
- The material will not cause harm to skin or even eye retina.
- High clumping property of the suspended material

Dosage: 1Kg to 1lac ltrs. of waste water.

Contents: Total Plate Count (Aerobic 2X10°) Carbon Degrading, Lipolytic, Proteolytic, Nitrogen Fixing, P-Solubalishing, Acidophilic, Methanogenic Organism

S-COMPO

BIO Culture (Aerobic & Anegrobic)





Helps the bacterial growth

Application: For every 5Lts of S-Compo

5Kgs of Urea, Phosphate & 10Kgs of Jaggery to be mixed in 100Lts of water and to have retention of 24 hours before adding to collection tank.

The culture helps in early activated sludge formation fast B.O.D. Removal and good settling characteristics in Aeration Tank.

Contents:

Total Plate Count (Aerobic 2X109) Carbon Degrading, Lipolytic, Proteolytic, Nitrogen Fixing, P-Solubalishing, Acidophilic, Methanogenic Organism

ORGANIC SOLUTIONS

COOL CAR

















Gets activated on dilution with water doesn't effect the applicant or applicator Applications in Cooling Towers for Moulding Industry, Hotel Industry, Air Conditioning for Hospitals, Software Companies & Cold Storage.

ADVANTAGES

- Reduces maintenance costs
- Increases delta temperature
- Reduces the condenser approach temperature Reduces cycle time by min 3 to 5 sec/min in moulding industry
- Completely organic & Herbal extracts, eco friendly Non toxic / Non hazardous
- Low cost & affordable
- Online descaling for heavy moulds, pipelines, fins & condenser The waste water can be safely reused for gardening as manure

DESCRIPTION: A mixture of extracts of herbal disinfectants, mixture of oils of Karanji, Neem, Eucalyptus, Castor ETC and Organic ACIDIC Cleaners, Alkali based cleaning agents, Additives suitable Bound together by Emulsifier & Surfactant to give a non-acidic concentrated cleaning solution.

deposits, dirt, algae-fungi, slit deposit in the cooling channels, removes scales in pipelines &

Recommended usage for cooling towers, injection moulding machines, Extrusion

machines & Blow Moulding machines

Dosage 100 ml for every 1000 ltrs. water for daily online usage

DRO CARE









Gets activated on dilution with water doesn't effect the applicant or applicator Applications in Sump Tank, Overhead Tanks of Domestic Water

Useful in Apartments, Hotels, Hospitals, Industries & Commercial Complexes, where borewell water is used.

ADVANTAGES

- Reduces maintenance costs
- Completely organic & Herbal extracts, eco friendly
- Non toxic / Non hazardous
- Low cost & affordable
- Online Softening of Ground Water
- Reduces Hardness of Water, Silicate Magnesium & Calcium Salts

DESCRIPTION: A mixture of extracts of herbal disinfectants, mixture of oils of Karanij, Neem, Eucalyptus, Castor ETC and Organic ACIDIC Cleaners, Alkali based cleaning agents, Additives suitably Bound together by Emulsifier & Surfactant to give a non-acidic concentrated cleaning solution.

Result: Cleans the Hard Water

deposits. Avoids Scaling in pipelines & no marks on washed utensils.

Recommended usage for sump tanks & overhead tanks to soften borewell water. Dosage 50 ml. for every 1000 ltrs. of water for daily

Note: We prefer to boil water or pass through R.O. for drinking purposes. Directly can be used for all other Domestic Purposes.













Gets activated on dilution with water doesn't effect the applicant or applicator Applications in Steam Boilers, Heating Boilers & for All Types of Fuels Useful in Hotels, Hospitals, Industries & Commercial Complexes,

where borewell water is used.

ADVANTAGES

- Reduces maintenance costs
- Completely organic & Herbal extracts, eco friendly
- Non toxic / Non hazardous
- Low cost & affordable
- Reduces Hardness of Water, Silicate Magnesium & Calcium Salts

Recommended: usage for All Types of Boilers

Dosage: 70ml for 1000 Ltrs of Top of Water (Normal Dosage) Dumping system with 5 Ltrs mixed with 20 ltrs of water and circulated for 24 hours for best results

Result: Cleans the Hard Water deposits. Avoids Scaling in pipelines. It acts as a chelating agent. So it binds with hardness producing salts and prevents their coagulation as scale. After chelation, the salts become soluble. Hence dissolution of salts, especially like Ca, Mg and also silica becomes possible after treatment of citric acid.

ORGANIC CITRIC









Gets activated on dilution with water doesn't effect the applicant or applicator Applications in Sump Tank, Overhead Tanks of Domestic Water

Useful in Apartments, Hotels, Hospitals, Industries & Commercial Complexes, where borewell water is used.

ADVANTAGES

- Reduces maintenance costs
- Completely organic & Herbal extracts, eco friendly
- Non toxic / Non hazardous
- Low cost & affordable
- Reduces Hardness of Water, Silicate Magnesium & Calcium Salts

Result: Cleans the Hard Water deposits. Avoids Scaling in pipelines & no marks on washed utensils. Dissolution of salts, especially like Ca, Mg and also silica becomes possible after treatment of citric acid.

Recommended usage for sump tanks & overhead tanks and Circulating Pipelines. Dosage Consult technician to decide on water test report.



Organic Herbal solution doesn't effect the applicant or applicator Applications in all Kitchens equipment in Domestic & Hotel Industry, Glass, Statue, Plastic & Fibre Cleanings

ADVANTAGES

- · Eco-friendly uses
- Completely Organic
- Non-Polluting
- Non toxic / Non hazardous
- Low cost & affordable
- o The waste water can be reused for gardening

DESCRIPTION: A mixture of extracts of herbal disinfectants, mixture of oils of Karanji, Neem, Eucalyptus, Castor ETC and Organic ACIDIC Cleaners, Alkali based cleaning agents, Additives suitably Bound together by Emulsifier & Surfactant to give a non-acidic concentrated cleaning solution.

Results: Cleans for the Dirt, Fading, Oily Surfaces & Gives the surface shiny without any discolouration. Removes Stains on Floors, Bathrooms, Washbasins, & Tiles.

Recommended usage for Stainless Steel, Fibre, Plastic, Glass, Floor & Tiles. **Dosage** As applicable.

How to Use

Spray nicely to the affected surface. Leave for 15mins then scrub or wipe with wet cloth. Repeat the process in case of heavy stains. Wash with clean water, again wipe with dry cloth



Highly Effective for Mosquitos, Fly & Insects

Application: 5 ml to be mixed in 1ltr of water & spray all over

Floor Can be cleaned by wiping with cloth with the solution

Each Spray or wipe will be effective for 6 to 8 hours

Ingredient: Plant Extracts & Inert Material

Note: For Regular usage 100 ml bottle concentrate available.

OUR PRESTIGIOUS CLIENTS

STAR HOTELS

- Park Hyatt.-Banjara Hills
- Hyatt-Gachibowli.
- Novotel- Hitex-CCCPL
- · GMR-Novotel Hyderabad Airport.
- Royal Orchid Hotels

APARTMENTS

- My Home Hub- My Home Abhra.
- · Muppa Projects India Pvt.Ltd.
- Power Welfare Society

INDUSTRIES & ENTERTAINMENT

- Sanller Systems- Thermax.
- · Swagath Group of Hotels.
- Vasantha Tool Crafts Pvt. Ltd.
- · Wonderla Holidays Limited.



SRI GURU RAGHAVENDRA ENTERPRISES

Technical & Marketing Consultants

Regd. Off: 3-10-89/A/11, Gokale Nagar, Ramanthapur,

Hyderabad -13. Mob: 99165 31164

Branch Off: 60/8, Swathi Apts, 6th Main, Appurao Road,

Chamrajpet, Bengaluru-560018